Tradename:

IMPRIMO[®] LC Splint flex blue

SECTION 1: Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier

Name of product: IMPRIMO[®] LC Splint flex blue

UFI: 8X41-35G3-3T3F-05UY

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Methacrylate based resin for DLP-systems with 385 nm light sources.

Uses advised against

Private households (= general public)

1.3. Details of the supplier of the safety data sheet Manufacturer / distributor

> SCHEU-DENTAL GmbH Am Burgberg 20 D-58642 Iserlohn Tel. +49 (2374) 9288-0 Fax +49 (2374) 9288-90

eMail: service@SCHEU-DENTAL.com Internet: www.SCHEU-DENTAL.com

1.4. Emergency telephone number: +49 (2374) 9288-0

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1/1A/1B, H317 Repr. 2, H361 STOT SE 3, H335 Aquatic Chronic 2, H411

2.2. Label elements

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Signal word: Warning Pictograms: GHS07, GHS08, GHS09



Hazard statements

H315	Causes skin irritation
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation
H335	May cause respiratory irritation.
H361	Suspected of damaging fertility or the unborn child.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

P201 Obtain special instructions before use.		
	P201	Obtain special instructions before use.





Tradename:

IMPRIMO[®] LC Splint flex blue

P202	Do not handle until all safety precautions have bee read and understood.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray
P264	Wash thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+352	IF ON SKIN: Wash with plenty of water/soap.
P304+340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
P308+313	IF exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTER/doctor if you feel unwell.
P321	Specific treatment (see label).
P332+313	If skin irritation occurs: Get medical advice/attention.
P333+313	If skin irritation or rash occurs: Get medical advice/attention.
P337+313	If eye irritation persists: Get medical advice/attention.
P362+364	Take off contaminated clothing and wash it before reuse.
P391	Collect sillage.
P403+233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container acc. to official regulations.

Special labelling of particular preparations:

2.3. Other hazards

SECTION 3: Composition / information on ingredients

3.1. Substances

not applicable

3.2. Mixtures

Mixture with, among others, the following ingredients and other non-hazardous admixtures

Composition/information on ingredients

Stoff:	CAS-No.:	REACH- No.:	Concentration:	Classification: EC 1272/2008 (CLP):	M, ATE, Note
Methacrylate Monomer 1	10595-06-9		25 - 45	Skin Sens. 1/1A/1B, H317 Rep, 2, H361d; Aquatic Chronic 2, H411	ATE (dermal) = 2000 ATE (oral) = 5000 ATE (inhalativ) = Kein Wert ermittelbar
Methacrylate Monomer 3	41637-38-1		25 - 45	Skin Irrit. 2, H315; Skin Sens. 1/1A/1B, H317; Eye Irrit. 2, H319; STOT SE 3, H335;	ATE (dermal) = 2000 ATE (oral) = 2000 ATE (inhalativ) = Kein Wert ermittelbar
Methacrylate Monomer 2	proprietary		10 - 20	Skin Irrit. 2, H315; Eye Irrit. 2, H319	
Methacrylate Monomer 4	proprietary		07 - 10	-	ATE (dermal) = Kein Wert ermittelbar ATE (oral) = Kein Wert ermittelbar ATE (inhalativ) = Kein Wert ermittelbar
Photoinitiator	75980-60-8		<02	Rep. 2, H361 Skin Sens. 1/1A/1B, H317 Aquatic Chronic 2, H411	M = 0 ATE (dermal) = 2000 ATE (oral) =5000 ATE (inhalativ) = Kein Wert ermittelbar

Tradename:

IMPRIMO[®] LC Splint flex blue



Page: 3 von 11

Stoff:	CAS-No.:	REACH- No.:	Concentration:	Classification: EC 1272/2008 (CLP):	M, ATE, Note
Methacrylate Monomer 6	6606-59-3		<02	Skin Irrit. 2, H315 Eye Irrit 2, H319 STOT SE3, H335 Aquatic Chronic 3, H412	ATE (dermal) = Kein Wert ermittelbar ATE (oral) = 2000 ATE (inhalativ) = Kein Wert ermittelbar

Full text of H- and EUH-phrases: see Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General Information:	In case of accident or unwellness, seek medical advice immediately. Take off immediately all contaminated clothing.
In case of inhalation:	Provide fresh air. Seek medical attention if problems persist.
Following skin contact:	After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.
After eyes contact:	In case of contract with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Consult an ophthalmologist.
After ingestion:	Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Consult an physician.

4.2. Most important symptoms and effects, both acute and delayed

Erythema (rednes). Causes skin irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Provide fresh air. In case of breathing difficulties administer oxygen.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media ABC-powder, alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Full water jet. Water spray jet. Excess water.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon dioxide (CO2). Carbon monoxide.

5.3. Advice for firefighters

General information

Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers. Use water spray jet to protect personnel and to cool endangered containers.

Special protective equipment for fire-fighters:

In case of fire: Wear self-contained breathing apparatus. Wear chemical resistant suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove persons to safety. Remove all sources of ignition. Provide adequate ventilation. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface or drains. Do not allow to enter into soil/subsoil.

Tradename:

IMPRIMO® LC Splint flex blue



6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Advice on safe handling

When using do not eat, drink, smoke, sniff. Use only in well-ventilated areas. All work processes must always be designed so that the following is as low as possible: Inhalation

Precautions against fire and explosion

Always close containers tightliv after the removal of product. Use only in well-ventilated areas.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place. Protect against: UV-radiation/sunlight.

Hints on joint storage

Do not store together with: Oxidizing agent. Organic peroxides. Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

Observe instructions for use.

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

occupational exposure limit value

Substance	CAS-No.	Source	e Occupational	Occupational	Limitation of	Remark:
			exposure	exposure	exposure	
			limit value:	limit value:	peaks:	
			[ppm]	[mg/m ³]		

Substance with a common (EC) occupational exposure limit value

Substance	CAS-No.	Source	Occupational	Occupational	Limitation of	Remark:
			exposure	exposure	exposure	
			limit value:	limit value:	peaks:	
			[ppm]	[mg/m ³]		

DNEL/PNEC values

Substance:	CAS-No.:	DNEL/DMEL
Methacrylate Monomer 3	41637-38-1	worker inhalative short-term, systemic 3,52 mg/m ³ worker dermal short-term, systemic 2 mg/m ³ / 24h
		population inhalative short-term, systemic 2 mg/m ³ / 24m
		population dermal short-term, systemic 070 µg/m ²
		population short-term, systemic 500 μ g/m ³ / 24h
Methacrylate Monomer 6	6606-59-3	worker inhalative long-term, systemic 14,5 mg/m ³
-		worker dermal long-term, systemic 4,2 mg/kg bw/day
		population inhalative long-term, systemic 4,3 mg/m ³
		population dermal long-term, systemic 2,5 mgkg bw/day
		population oral long-term, systemic 2,5 mg/kg bw/day
Photoinitiator	75980-60-8	worker inhalative long-term, systemic 0,822 mg/m ³
		worker dermal long-term, systemic 0,233 mg/kg bw/day
		population inhalative long-term, systemic 0,08333 mg/kg bw/day
		population dermal long-term, systemic 0,08333 mg/kg bw/day
		population oral long-term, systemic 0,08333 mg/kg bw/day

Tradename:

IMPRIMO® LC Splint flex blue



PNEC value

Substance:	CAS-No.:	PNEC
Methacrylate Monomer 1	10595-06-9	aquatic, freshwater 142 µg/l
		aquatic, marine water 1,42 µg/l
		sewage treatment plant 177 mg/l
		sediment, freshwater 655 µg/kg dw
		aquatic, marine water 67 µg/l
		soil 125 µg/kg dw
Methacrylate Monomer 6	6606-59-3	aquatic, freshwater 4,88 µg/l
		aquatic, marine water 0,488 µg/l
		sewage treatment lant 800 mg/l
		sediment, freshwater 262 µg/kg dw
		sediment, marine water 26 µg/kg dw
		soil 50 µg/kg dw
Photoinitiator	75980-60-8	aquatic, freshwater 1,4 µg/l
		aquatic, marine water 0,14 µg/l
		sediment, freshwater 115 µg/kg dw
		sediment, marine water 11,5 µg/kg dw
		soil 22,2 µg/kg dw

Additional information

None.

8.2. Exposure controls

Occupational exposure controls.

Provide adequate ventilation as well as local exhaustion at critical locations. Technical measures and the application of suitable work processes have priority over personal protection equipment.

General protection and hygiene measures

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Apply skin care products after work. Wash contaminated clothing prior to re-use.

Personal protection equipment

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

Respiratory protection

With correct an proper use, and under normal conditions, breathing protection is not required. Respiratory protection necessary at: insufficient ventilation.Suitable respiratory protection apparatus: Protective respiration apparatus not using surrounding air (breathing apparatus) (DIN EN 133).

Hand protection

Tested protective gloves are to be worn: DIN-/EN-Norms: EN ISO 374 Suitable material: Butyl rubber.

Eye/face protection

Eye glasses with side protection.

Body protection:

For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes). Only war fitting, comfortable an clean protective clothing. Barrier creams are not substitutes for body protection.

Environmental exposure controls.

See section 7. No additional measures necessary.

Consumer exposure controls

Refer to chapter 7. No further action is necessary.

Exposure Scenario

Skin contact. Inhalation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties



Tradename:

IMPRIMO® LC Splint flex blue

Appearance

Physical state:	Liquid
Colour:	blue
Odour:	fruity
Odour threshold:	No data available

Safety relevant basis data

	Parameter	Value	Unit	Remark
Melting point/freezing point:				No data available
Initial boiling point and boiling range:				No data available
Flammability:				No data available
Lower flammability or explosive limits:				No data available
Upper flammability or explosive limits:				No data available
Decomposition temperature:				No data available
pH:				No data available
Kinematic viscosity:		400	mPa*s	23 °C
Water solubility (g/l):				
Partition coefficient: n-octanol/water:				No data available
Vapour pressure:				No data available
Density:		1,1	g/cm ³	
Relative density:				No data available
Particle properties:				No data available

9.2. Other information

none

SECTION 10: Stability and reactivity

10.1. Reactivity

No haardous reaction when handled and stored according to provisions.

10.2. Chemical stability

With proper storage and handling the product is stable.

10.3. Possibility of hazardous reactions

Polymerization

10.4. Conditions to avoid

Heat. UV-radiation/sunlight.

10.5. Incompatible materials

Polymerization with heat evolution may occur in the presence of radical forming substances (e.g. peroxides), reducing substances, and/or heavy metal ions.

10.6. Hazardous decomposition products

In case of fire may be liberated. Carbon dioxide, Carbon monoxide

SECTION 11: Toxicological Information

11.1. Information on toxicological effects

There are no data available on the preparation/mixture itself.

M-factor: -Acute toxicity (oral): 2000 Acute toxicity (dermal): 2000 Acute toxicity (inhalative): -

Acute toxicity

Addie toxiony			
Substance:	CAS-No.:	Toxicological information	
Photoinitiator	75980-60-8	LC50 inhalation (rat) 2000 mg/kg bw	
		LD50 oral (rat) 5000 mg/kg bw	
		LD50 dermal (rat) > 2000 mg/kg bw	
Methacrylate Monomer 6	6606-59-3	LD50 oral (rat) 2000 mg/kg	
		LD50 dermal (rat) 2000 mg/kg	



Tradename:

IMPRIMO[®] LC Splint flex blue

Substance:	CAS-No.:	Toxicological information
Methacrylate Monomer 1	10595-06-9	LD50 oral (rat) 5000 mg/kg LD50 dermal (rat) 2000 mg/kg
Methacrylate Monomer 3	41637-38-1	LD50 oral (rat) 2000 mg/kg LD50 dermal (rat) 2000 mg/kg

Skin corrosion/irritation:

Frequently or prolonged contact with skin may cause dermal irritation.

Serious eye damage/irritation:

Strongly irritant. Risk of serous damage to eyes.

Respiratory of skin sensitisation:

May cause sensitization especially in sensitive humans.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity:

No information available.

Germ cell mutagenicity: No information available.

Reproductive toxicity: No information available.

STOT-single exposure:

No information available.

STOT-repeated exposure:

No information available.

Aspiration hazard:

The inhalation of dust/mist or aerosols causes irritation of the respiratory tract.

SECTION 12: Ecological Information

12.1. Toxicity

There are no data available on the preparation/mixture itself.

Ecotoxicity

Substance:	CAS-No.:	Ecotoxicity
Photoinitiator	75980-60-8	EC50 (Daphnia, 48 h) 3,53 mg/l
		EC50 (algae, 72 h) > 2,01 mg/l
Methacrylate Monomer 3	41637-38-1	LC50 (fish, 96 h) 100 mg/l
		LC50 (crustaceans, 48 h) 6 mg/l
		EC50 (algae, 72 h) 100 mg/l

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

12.4. Mobility in soil

There are no data available on the mixture itself.

12.5. Results of PBT an vPvB assessment

There are no data available on the mixture itself.

12.6. Endocrine disruptive effect There are no data available on the preparation/mixture itself.

12.7. Other adverse effects

There are no data available on the mixture itself.

Tradename:

IMPRIMO[®] LC Splint flex blue



SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product:

Dispose of waste according to applicable legislation. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Must not be disposed together with household garbage.

Appropriate disposal / Package

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

List of proposed waste codes/waste designations in accordance with EWC / AVV

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industriy and process.

SECTION 14: Transport Information

Land transport (ADR/RID)

14.1. UN number:	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	
14.4. Packing group:	
Hazard label:	No hazardous material according to transport regulations.
Classification code:	
Special Provisions:	
Limited quantity:	
Transport category:	
Hazard No:	
Tunnel restriction code:	
Other applicable information (land transport)	

Inland waterways transport (ADN)

14.1. UN number:	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	
14.4. Packing group:	No hazardous material according to transport regulations.
Hazard label:	
Classification code:	
Spezial Provisions:	
Limited quantity:	
Other applicable information	
(inland waterways transport)	

Marine transport (IMDG) 14.1. UN number: 14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packaging group: Hazard label: Special Provisions:: Limited quantity: EmS: Other applicable information (marine transport):

Air transport (ICAO)

14.1. UN number:	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	
14.4. Packaging group:	No hazardous material according to transport regulations.
Hazard label:	
Special Provisions:	
Limited quantity Passenger:	



Tradename:

IMPRIMO[®] LC Splint flex blue

IATA-packing instructions - Passenger:
IATA-max. quantity - Passenger:
IATA-packing instructions - Cargo:
IATA-max. quantitiy - Cargo:
Other applicable information (air transport)
Passenger-LQ:

14.5. Environmental hazards

ADR/RID / IMDG / ICAO-TI / IATA-DGR: no Marine pollutant: no

14.6. Special precautions for user

Land transport (ADR/RID) Transport category: -Special provisions: -Tunnel restriction code: -Limited quantity (LQ): -

Sea transport (IMDG) EmS-No: -Special provisions: -Limited quantity (LQ): -

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Remark none

SECTION 15: Regulatory Information

15.1. Safety, health an environmental regulations/legislation specific for the substance or mixture

EU legislation

Information on Regulation (EC) No 166/2006 establishing a European Pollutant Release and Transfer Register:

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer:

Regulation (EC) No. 648/2004 (Detergents regulation)

Regulation (EC) No. 850/2004 [POP-Regulation]:

Regulation (EC) No. 649/2012 on the export and import of dangerous chemicals:

Use restriction according to REACH annex XVII, no.:

National regulations Observe in addition any national regulations!

Restrictions of occupation None.

Other regulations, restrictions and prohibition regulations

<u>15.2. Chemical Safety Assessment</u> For this preparation a chemical safety assessment has been carried out. no Chemical safety assessments for substances in this mixture were not carried out.

Tradename:

IMPRIMO[®] LC Splint flex blue

SECTION 16: Other Information

Relevant H- and EUH-phrases (number and full text) Hazard statements

H315 Causes skin irritation.

- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

- H361 Suspected of damaging fertility or the unborn child.
- H411 Toxic to aquatic life with long lasting effects.

Training advice

Observe instructions for use.

Recommended restrictions of use:

Refer to chapter 1.

Further information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Key literature references and sources for data

Data arise from reference works and literature.

Abbreviations and acronyms

7.88.3714(10)	
AC:	Artikelkategorie (Article Category)
ACGIH:	Rat für Arbeitsschutz und Gefahrstoffe, Amerika (American Conference of Government Industrial Hygienists)
ADN:	Europäisches Übereinkommen über die internationale Beförderung gefährlicher Güter auf Binnengewässern (Accord
	européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
ADR:	Europäisches Übereinkommen über die internationale Beförderung gefährlicher Güter auf der Straße (Accord européen
	relatif transport des merchandises dangereuses par route)
AGW:	Arbeitsplatzgrenzwert
AOX:	Adsorbierbare organisch gebundene Halogene (Adsorbable Organic halogen compounds
Bw:	Körpergewicht (Body weight)
CMR:	Stoffe klassifiziert als Krebserzeugend, Mutagen oder Reproduktionstoxisch (Carcinogenic, Mutagenic, toxic for
	Reproduction)
CSR:	Stoffsicherheitsbericht (Chemical Safety Report)
DIN:	Deutsches Institut für Normung / Deutsche Industrienorm
DNEL:	Grenzwert, unterhalb dessen der Stoff keine Wirkung ausübt (Derived No Effect Level)
DPD:	Zubereitungsrichtline / Richtline 1999-45-EC (Dangerous Preparations Directive)
DSD:	Stoffrichtlinie / Richtlinie 67-548-EC (Dangerous Substances Directive)
DU:	Nachgeschalteter Anwender (Downstream User)
EC50:	Wirksame Konzentration 50% (Effective Concentration 50%)
ECHA:	Europäische Chemikalienagentur
EN:	Europäische Norm
EWC/EWL:	Europäischer Abfallartenkatalog (European Waste Catalogue)
IATA:	Verband für den internationalen Lufttransport (International Air Transport Association)
IBC:	Großpackmittel (Intermediate Bulk Container)
ICAO:	Internationale Zivilluftfahrt-Organisation (International Civil Aviation Organization)
IMDG Code:	Gefahrgutvorschriften für den internationalen Seetransport (International Maritime Dangerous Goods Code)
IMO:	Internationale Seeschifffahrts-Organisation (International Maritime Organization)
ISO:	Internationale Normungsorganisation (International Standards Organisation)
LC50:	Lethale (Tödliche) Konzentration 50%
LD50:	Lethale (Tödliche) Dosis 50%
LEV:	Lokale Absaugung (Local exhaust ventilation)
MAK:	Maximale Arbeitsplatzkonzentration – DFG
n.a.:	nicht anwendbar
n.b.:	nicht bestimmt
OEL:	Arbeitsplatzgrenzwert (Occupational Exposure Limit)
PBT:	persistent, bioakkumlierbar, giftig (persistent, bioaccumulative, toxic)
PNEC:	Abgeschätzte Nicht-Effekt-Konzentration (Predicted No Effect Concentration
PPE/PSA:	Persönliche Schutzausrüstung (Personal Protective Equipment)
REACH:	Registrierung, Bewertung und Zulassung von Chemikalien (Registration, Evaluation and Authorization of Chemicals)

SCHEU Status: 30.01.2023 Page: 10 von 11



Tradename:

IMPRIMO[®] LC Splint flex blue

RID:	Gefahrgutvorschriften für den Transport mit der Eisenbahn (Règlement International concernant le transport de marchandises dangereuses par chemin de fer)
STEL:	Grenzwert für Kurzzeitexposition (Short-term Exposure Limit)
SVHC:	Stoff sehr hoher Besorgnis (Substance of Very High Concern)
TLV:	Arbeitsplatzgrenzwert (Threshold Limit Value)
VOC:	Flüchtige organische Kohlenwasserstoffe (Volatile Organic Compounds)
vPvB:	sehr persistent, sehr bioakkumulierbar (very persistent, very bioaccumulative)